

HPB CNC Press Brake 110Ton x 3200mm



Yangli delivers quality you can trust and lasting performance you can rely on. Press brakes designed to deliver maximum performance through quality features and robust built strength durability.

Specifications:

▶ ▶ ▶ ▶ ▶ (14107)

Nominal Force: 1100 kN

Table Length: 3200mm

Slide travel stroke: 130mm

Axis: Y1, Y2, X, R + Crowning

Throat depth: 320mm

Max Opening Height: 390mm

Slide stroke adjustment: 100mm

Return Speed: 150mm/s

Loading Speed: 11mm/s

Main Motor: 7.5kW



Tel: 012 259 1375
sales@thmachinetools.co.za
www.thmachinetools.co.za

FEATURES:

DE15 CNC controller with 15.6 inch touch screen.

Servo Hybrid Drive & gear pump with energy saving and environmental protection features.



Proportional valve synchronous control, equipped with three-stage rapid clamping device.

Y1; Y2; X; R + Electric Crowning Axis.

Mechanical Anti-deflecting Automatic Worktable.

Backgauge with Servo motor, ball screw and Linear guide rail providing X axis and R axis automatic adjustment with accurate positioning and repeatability.

The rear material-stopping crossbeam is equipped with dual linear guides + fine adjustment stop fingers, allowing for the adjustment of the overall height and fine adjustment of the rear stop fingers.




Top Tooling (Standard)

Item : (14217)


Total length : 3340mm

Segments : 835x3. 10. 15. 20. 40. 50. 100x2 left and right ears. 200. 300.




(14217)

(14107) Yangli HPB-110x3200 Top & Bottom Tooling



(14215)




(14214)

Bottom Tooling Options (1 x set Standard)


Item : (14212) (14213) (14214) (14215) (14216)

Total length : 3340mm


Segments : 835x3. 10. 15. 20. 40. 50. 100. 200. 400.



(14216)



(14213)



(14212)

HPB CNC Press Brake
110Ton x 3200mm



Tel: 012 259 1375
sales@thmachinetools.co.za
www.thmachinetools.co.za